

## PYROPLAN

# Pyrolysis of Wind Turbine Blades

A feasibility study



**- CONFIDENTIAL -**

Triple Benefit - December 2012

Rik Voerman – [info@triplebenefit.nl](mailto:info@triplebenefit.nl)

© Triple Benefit, December 2012

**Confidential** - This report is confidential and proprietary and may not be reproduced in whole or part unless authorized in writing by an authorized representative of Triple Benefit.

**Disclaimer** - This report is a sample and not intended to represent any specific process design. It is a compilation of different sources and any discrepancies in the comments and associated values used in this report are not typical. The values used in this report are not intended to be actual or representative of factual calculations and are used in this report to represent “placeholders” only.

## Management summary

The annual volume of composite waste is growing substantially, driven by growing sectors like the Wind power, Automotive and Aviation industries.

Pyrolysis of composite materials has shown to be a technically proven process at small scale, and several companies around the world have been developing the process on a larger scale recently. Nevertheless the processes are hard to get profitable. For that reason processes regenerating *carbon* fibers rather than glass fibers only have gained most attention up to now.

The process of composite pyrolysis shows strong parallels with BIO-oil production, that is currently being further developed and expanded by multiple parties in the world. Compared to these processes, the pyrolysis of turbine blade composites shows several interesting advantages:

- Less water content of feedstock, resulting in more efficient processing
- More homogeneous feedstock, resulting in better controllable output properties
- Potentially no feedstock costs but revenues instead
- Potentially higher added value of specific components/pieces when reused

Nevertheless, specifically for wind turbine blades, additional practical issues arise like the absence of carbon fibers in most blades and efficiently partitioning the blade. These aspects make the process potentially less economically viable. To develop a sustainable pyrolysis recycling process for wind turbine blades, at least some of the following points are to be addressed:

- The processing costs should be partially subsidized by the supplier, paying a disposal fee of approximately 50% of the landfill costs
- The reuse of components/pieces should provide satisfactory revenues
- The regeneration and reuse of glass fibers should provide satisfactory revenues
- Strong industrial or governmental parties should provide substantial financial support during the start-up years in order to attain a economically viable process

Apart from financial points of attention for exploitation, the following aspects are critical:

- Technical challenges
- Environmental licenses
- Logistics
- Supplying and consuming parties
- Health and safety

# 1 Inhoud

2	Introduction .....	6
2.1	Disposal of Wind Turbine Blades.....	6
2.2	Opportunities for the composites sector .....	7
2.3	The status of pyrolysis.....	7
2.3.1	BIO-pyrolysis .....	7
2.3.2	Recovering Carbon fibers .....	8
2.3.3	Degrading turbine blades.....	8
2.3.4	Competitive processes .....	8
2.4	Definitions .....	8
3	Disposing and processing of composite wastes .....	9
3.1	Land fill.....	9
3.2	Shredding to a filler material.....	9
3.3	Holcim process.....	9
3.4	Degradation technologies.....	10
3.5	Benefits of pyrolysis .....	11
3.6	Upcycling .....	11
4	The pyrolysis proces .....	12
4.1	Functional process description of pyrolysis .....	12
4.2	Composition of pyrolysis output.....	13
4.3	Pyrolysis of epoxy .....	14
4.3.1	Chemical formula of epoxies.....	14
4.3.2	Temperature range .....	14
4.3.3	Heating and cooling rate.....	15
4.3.4	Water content .....	15
4.3.5	Heating energy .....	15
4.4	Products of composites pyrolysis .....	15
4.4.1	Resulting gases .....	16
4.4.2	Phenol .....	16
4.4.3	Fibers.....	17
4.5	Pyrolysis of other raw materials.....	18
4.5.1	Polystyrene (PS).....	18
4.5.2	Pulyurethane (PU) .....	19
4.5.3	Styrene Acylonitril (SAN) .....	19
4.5.4	Polyethylene Terephthalate (PET).....	19
4.5.5	Polyvinylchloride (PVC) .....	19
4.5.6	Balsa.....	20
4.5.7	Production waste .....	20
4.6	Health and safety .....	20
4.7	Conclusions .....	21
5	Potential benefits of pyrolysis .....	22
5.1	Potential yield of Wind Turbine Blades .....	22
5.1.1	Blade decomposition .....	22
5.1.2	Reuse of the shear webs.....	23
5.1.3	Process output.....	23
5.2	Energy consumption.....	24
5.2.1	Needed process heat.....	24
5.2.2	Heat obtained from the process.....	24
5.3	Thermal processing window .....	24
5.3.1	Degree of decomposition.....	25
5.3.2	Chemical composition of oil .....	25
5.3.3	Chemical composition of gas.....	25

5.3.4	Fiber quality .....	25
5.4	Expected costs of processing .....	25
5.5	Potential revenues of processing.....	26
5.6	Conclusions .....	26
6	Technical process description .....	27
6.1	Process steps.....	28
6.1.1	Blade cutting and handling .....	28
6.1.2	Milling / shredding.....	30
6.1.3	Heating and cracking in a reactor .....	31
6.1.4	In-process vapor treatment .....	38
6.1.5	Electrical power generation .....	39
6.1.6	Oil refinery .....	40
6.1.7	Fiber recovery.....	40
6.1.8	Logistics and lay-out requirements .....	40
6.2	Processing speed and capacity .....	41
6.3	Environment, health and safety .....	41
6.3.1	Toxicity of oil.....	41
6.3.2	Acidity of oil.....	41
6.3.3	Inflammability.....	41
6.3.4	Dust production.....	41
6.3.5	Environmental impact .....	41
6.4	Investment .....	41
6.5	Conclusions .....	42
6.6	Remaining issues to be elaborated .....	42
7	Roadmap .....	43
7.1	Step one: Making logistics work .....	43
7.2	Step two: Pyrolysis pilot plant with combustion.....	44
7.3	Step three: Recovery of fibers .....	45
7.4	Step four: Improving for optimal refinery .....	46
7.5	Step five: Upscaling the process .....	46
8	Conclusions.....	47
9	References.....	48
9.1	Papers.....	48
9.2	Internet.....	48
9.3	Other references .....	49
10	Appendix .....	53
10.1	Patents and IPR .....	53
10.2	Energy Balance Refiber .....	54
10.3	Exploitation Step 1 .....	55
10.4	Exploitation Step 2.....	56
10.5	Exploitation Step 3.....	57